




Lecture Series 2
Water as THE Biological Solvent

A. Atoms: The Constituents of Matter

- An element is made up of only one kind of atom.
- The number of protons identifies the element.
- Isotopes differ in the number of neutrons.



Yellow elements make up 98% of all biomass!


Chemical symbol
Atomic number = protons
Atomic mass = protons + neutrons (average of all isotopes)

1	H	1.0079	2	He	4.003
3	Li	6.941	9	F	18.998
11	Na	22.990	13	Al	26.982
15	P	30.974	17	Cl	35.453
19	K	39.098	21	Ca	40.078
23	V	50.942	25	Mn	54.938
27	Co	58.933	29	Cu	63.546
31	Ga	69.723	33	As	74.922
35	Br	79.904	37	Rb	85.468
39	Y	88.906	41	Nb	92.906
43	Tc	98.906	45	Rh	101.07
47	Ag	107.868	49	In	114.818
51	Sb	121.757	53	I	126.905
55	Cs	132.905	57	La	138.905
59	Pr	140.908	61	Pm	144.913
63	Eu	151.964	65	Gd	157.25
67	Tb	158.925	69	Tm	168.930
71	Yb	173.054	73	Lu	174.967
75	Re	186.207	77	Ir	188.906
79	Au	196.967	81	Tl	204.387
83	Bi	208.980	85	At	210
87	Fr	223	89	Ac	227

Orange elements make up Trace amounts of biomass.

Lanthanide series
Actinide series



Isotopes



Isotopes of hydrogen			Isotopes of carbon	
Hydrogen	Deuterium	Tritium	Carbon-12	Carbon-14
1 proton	1 proton 1 neutron	1 proton 2 neutrons	6 protons 6 neutrons	6 protons 8 neutrons

A. Atoms: The Constituents of Matter


- Electron behavior determines chemical bonding.
- Electrons are distributed in shells of "orbitals" containing a maximum of two.
 - ◆ Octet Rule: stable molecules have 8 electrons in outer shell.



2.1 Chemical Bonds and Interactions

NAME	BASIS OF INTERACTION	STRUCTURE	BOND ENERGY* (KCAL/MOL)
Covalent bond	Sharing of electron pairs	$\begin{array}{c} \text{H} & \text{O} \\ & \\ -\text{N}- & \text{C}- \\ & \\ \text{H} & \end{array}$	50-110
Hydrogen bond	Sharing of H atom	$\begin{array}{c} \text{H} & \text{O} \\ & \\ -\text{N}- & \text{H} \cdots \text{O}-\text{C}- \\ & \\ \text{H} & \end{array}$	3-7
Ionic interaction	Attraction of opposite charges	$\begin{array}{c} \text{H} & \text{O} \\ & \\ -\text{N}- & \text{H} \cdots \text{O}-\text{C}- \\ & \\ \text{H} & \end{array}$	3-7
van der Waals interaction	Interaction of electron clouds	$\text{H}-\text{H} \cdots \text{H}-\text{H}$	1
Hydrophobic interaction	Interaction of nonpolar substances	$\begin{array}{c} \text{H} & \text{H} & & \text{H} & \text{H} \\ & & & & \\ -\text{C}- & \text{C}- & \cdots & \text{C}- & \text{C}- \\ & & & & \\ \text{H} & \text{H} & & \text{H} & \text{H} \end{array}$	1-2

*Bond energy is the amount of energy needed to separate two bonded or interacting atoms under physiological conditions.




2.2 Covalent Bonding Capabilities of Some Biologically Important Elements

ELEMENT	NUMBER OF COVALENT BONDS
Hydrogen	1
Oxygen	2
Sulfur	2
Nitrogen	3
Carbon	4
Phosphorus	5

B. Chemical Bonds: Linking Atoms Together

- Nonpolar covalent bonds form when the electronegativities of two atoms are approximately equal. When atoms with strong electronegativity (such as oxygen) bond to atoms with weaker electronegativity (such as hydrogen), a polar covalent bond forms, in which one end is δ^+ and the other is δ^- .
- Covalent bonds involve sharing of electrons.




2.3 Some Electronegativities

ELEMENT	ELECTRONEGATIVITY
Oxygen	3.5
Chlorine	3.1
Nitrogen	3.0
Carbon	2.5
Phosphorus	2.1
Hydrogen	2.1
Sodium	0.9
Potassium	0.8


B. Chemical Bonds: Linking Atoms Together


- Hydrogen bonds form between a δ^+ hydrogen atom in one molecule and a δ^- nitrogen or oxygen atom in another molecule or in another part of a large molecule.
- Some sharing at work.



B. Chemical Bonds: Linking Atoms Together


- Ions, electrically charged bodies, form when an atom gains or loses one or more electrons. Ionic bonds are electrical attractions between oppositely charged ions.
- No sharing involved!





B. Chemical Bonds: Linking Atoms Together

- Nonpolar molecules have no attraction for polar substances. They are attracted to each other by very weak bonds called van der Waals forces.
- These are very important for membranes.
 - ◆ Hydrophobic vs. hydrophilic molecules.



C. Eggs by the Dozen: Molecules by the Mole

- Calculate the number of molecules by weighing: Avogadro's # = 6.023×10^{23}
- This is the weight in grams equal to a molecules combined atomic weight.
- Useful as in Biology, most reactions take place in solutions, which yields units of Molarity.




D. Chemical Reactions: Atoms Change Partners

- In chemical reactions, substances change their atomic compositions and properties. Energy is either released or added. Matter and energy are not created or destroyed, but change form.
- Conservation of Mass & Energy.


D. Chemical Reactions: Atoms Change Partners

- Combustion reactions are oxidation-reduction aka "redox" reactions.
- Fuel is converted to carbon dioxide and water, while energy is released as heat and light.
- In living cells, these reactions occur in multiple steps.



E. Water: Structure and Properties

- Water's molecular structure and capacity to form hydrogen bonds give it unusual and special properties significant for life.
- These include: Phase change avoidance, Specific Heat, Cohesive and Adhesive Strength, Latent Heat of Vaporization.
- Rare Ion formation (1 in 5 x 10⁸) or pH 7.0



Water in the environment






Ice floats and frozen benzene sinks




E. Water: Structure and Properties

- "Cohesion" of water molecules results in a high surface tension.
- Water's high "heat of vaporization" assures cooling when it evaporates.
- Wide range of "Reynold's Numbers" encountered by organisms.




F. Acids, Bases, & pH Scale

- Acids are substances that donate hydrogen ions. Bases are those that accept hydrogen ions.




F. Acids, Bases, & pH Scale

- The pH of a solution is the negative logarithm of the hydrogen ion concentration. $\text{pH} = -\log[\text{H}^+]$
- pH scales range from 0 to 14 as $[\text{H}^+][\text{OH}^-] = 1 \times 10^{-14}$
- Most biological solutions are between the pH range of 6 to 8.



F. Acids, Bases, & pH Scale

- Buffers are systems of weak acids and bases that limit the sudden change in pH when hydrogen ions are added or removed.
- Examples are Bicarbonate or Phosphate Buffers.



G. Properties of Molecules



- Molecules vary in size, shape, reactivity, solubility, and other chemical properties.
- Functional groups make up part of a larger molecule and provide specific chemical properties.

Functional group	Class of compounds	Structural formula	Example
Hydroxyl —OH	Alcohols	R—OH	$\begin{array}{c} \text{H} \quad \text{H} \\ \quad \\ \text{H}-\text{C}-\text{C}-\text{OH} \\ \quad \\ \text{H} \quad \text{H} \end{array}$ Ethanol
Aldehyde —CHO	Aldehydes	$\begin{array}{c} \text{O} \\ \\ \text{R}-\text{C}-\text{H} \end{array}$	$\begin{array}{c} \text{H} \quad \text{O} \\ \quad \\ \text{H}-\text{C}-\text{C}-\text{H} \\ \quad \\ \text{H} \quad \text{H} \end{array}$ Acetaldehyde
Keto $\begin{array}{l} \diagdown \\ \text{CO} \\ \diagup \end{array}$	Ketones	R—C(=O)—R	$\begin{array}{c} \text{H} \quad \text{O} \quad \text{H} \\ \quad \quad \\ \text{H}-\text{C}-\text{C}-\text{C}-\text{H} \\ \quad \quad \\ \text{H} \quad \text{H} \quad \text{H} \end{array}$ Acetone
Carboxyl —COOH	Carboxylic acids	$\begin{array}{c} \text{O} \\ \\ \text{R}-\text{C}-\text{OH} \end{array}$	$\begin{array}{c} \text{H} \quad \text{O} \\ \quad \\ \text{H}-\text{C}-\text{C}-\text{OH} \\ \quad \\ \text{H} \quad \text{H} \end{array}$ Acetic acid

Functional Groups

Functional group	Class of compounds	Structural formula	Example
Amino —NH ₂	Amines	$\begin{array}{c} \text{H} \\ \\ \text{R}-\text{N} \\ \\ \text{H} \end{array}$	$\begin{array}{c} \text{H} \quad \text{H} \\ \quad \\ \text{H}-\text{C}-\text{N} \\ \quad \\ \text{H} \quad \text{H} \end{array}$ Methylamine
Phosphate —OPO ₃ ²⁻	Organic phosphates	$\begin{array}{c} \text{O} \\ \\ \text{R}-\text{O}-\text{P}-\text{O}^- \\ \\ \text{O}^- \end{array}$	$\begin{array}{c} \text{HO} \quad \text{O} \\ \quad \\ \text{H}-\text{C}-\text{OH} \quad \text{O} \\ \quad \quad \quad \\ \text{H}-\text{C}-\text{O}-\text{P}-\text{O}^- \\ \quad \quad \\ \text{H} \quad \text{O}^- \end{array}$ 3-Phosphoglyceric acid
Sulphydryl —SH	Thiols	R—SH	$\begin{array}{c} \text{H} \quad \text{H} \\ \quad \\ \text{HO}-\text{C}-\text{C}-\text{SH} \\ \quad \\ \text{H} \quad \text{H} \end{array}$ Mercaptoethanol

Functional Groups



G. Properties of Molecules

- Structural, geometric and optical isomers have the same kinds and numbers of atoms, but differ in their structures and properties.

G. Properties of Molecules

- **Structural isomers:** variation in covalent bond arrangement such as butane and isobutane.
- **Geometric isomers:** variation in the arrangement about a double bond such as with cis or trans configurations.
- **Optical isomers:** variation in the spatial arrangement around an asymmetric carbon, resulting molecules that are mirror images.

