

## Biology 403 - LITERATURE REFERENCES – W '09

### Introduction to Physiological Adaptation:

- Kinne, O. 1962. Irreversible nongenetic adaptation. *Comp. Biochem. Physiol.* 5: 265-282.
- Mangum, C. P. and D. Towle. 1977. Physiological adaptation to unstable environments. *Amer. Sci.* 65: 67-75.
- Prosser, C. L. 1964. Perspectives of adaptation: theoretical aspects. p.11-25 in Dill, D. B., E. F. Adolph, and C. G. Wilber (eds.), *Handbook of physiology section 4: Adaptation to the environment*. American Physiological Society, Washington, DC

### Physical Factors in Marine Systems:

- Denny, M. W. and R. T. Paine. 1998. Celestial mechanics, sea-level changes, and intertidal ecology. *Biol. Bull.* 194: 108-115.
- Garrity, S. D. 1984. Some adaptations of gastropods to physical stress on a tropical rocky shore. *Ecology* 65: 559-574.
- Gordon, M. 1960. Anaerobiosis in marine sandy beaches. *Science* 132: 616-617.
- Johnson, R. G. 1965. Temperature variation in the infaunal environment of a sand flat. *Limnol. Oceanogr.* 10: 114-120.
- Lewis, J. B. 1963. Environmental and tissue temperatures of some tropical intertidal marine animals. *Biol. Bull.* 124: 277-284.
- Sanders, H. L., P. C. Mangelsdorf, and G. R. Hampson. 1965. Salinity and faunal distribution in the Pocasset River, Massachusetts. *Limnol. Oceanogr.* 10(supplement): R216-R229.
- Swinbanks, D. D. 1982. Intertidal exposure zones: a way to subdivide the shore. *J. Exp. Mar. Biol. Ecol.* 62: 69-86.

### Lethal Thermal Limits:

- Bertness, M. D. and D. E. Schneider. 1976. Temperature relations of Puget Sound thalids in reference to their intertidal distribution. *Veliger* 19: 47-58.
- Heath, W. G. 1963. Thermoperiodism in sea-run cutthroat trout (*Salmo clarkii*). *Science* 142: 486-488.
- Heath, W. G. 1967. Ecological significance of temperature tolerance in Gulf of California shore fishes. *J. Arizona Acad. Sci.* 4: 172-178.
- Lutterschmidt, W.I and V.H. Hutchison. 1997. The critical thermal maximum: history and critique. *Can. J. Zool.* 75:1561-1574.
- McLeese, D. W. 1956. Effects of temperature, salinity, and oxygen on the survival of the American lobster. *J. Fish. Res. Bd. Canada* 13: 247-272.
- Thresher, R. W. and A. H. Houston. 1983. Heat tolerance and resistance in juvenile rainbow trout acclimated to diurnally cycling temperatures. *Comp. Biochem. Physiol.* 75A: 153-155.

## Biology 403 - LITERATURE REFERENCES – W '09

Todd, M. E. and P. A. Dehnel. 1960. The influence of temperature and salinity on heat tolerance in two grapsoid crabs, *Hemigrapsus nudus* and *Hemigrapsus oregonensis*. Biol. Bull. 118: 150-172.

Wolcott, T. G. 1973. Physiological ecology and intertidal zonation in limpets (*Acmea*): a critical look at "limiting factors". Biol. Bull. 145: 389-422.

Vernberg, F.J., Schleiper, C. and Schneider, D.E. 1963. The influence of temperature and salinity on ciliary activity of excised gill tissue of molluscs from North Carolina. Comp. Biochem. Physiol. 8:271-285.

### **Mechanisms of Heat Death:**

Bowler, K. 1963. A study of the factors involved in acclimatization to temperature and death at high temperatures in *Astacus pallipes*. II Experiments at the tissue level. J. Cell. Comp. Physiol. 62: 133-146.

Bowler, K., Duncan, C. J., Gladwell, R. T., and Davison, T. F. 1973. Cellular heat injury. Comp. Biochem. Physiol. 45A: 441-450.

### **Heat Shock Proteins:**

Dietz, T. J. and G. N. Somero. 1992. The threshold induction temperature of the 90-kDa heat shock protein is subject to acclimatization in eurythermal goby fishes (genus *Gillichthys*). Proc. Natl. Acad. Sci. USA 89: 3389-3393.

Hofmann, G.E. and G.N. Somero. 1995. Evidence for protein damage at environmental temperatures: seasonal changes in levels of ubiquitin conjugates and hsp70 in the intertidal mussel *Mytilus trossulus*. J. Exp. Biol. 198: 1509-1518.

Martin, J., A. L. Horwich, and F. U. Hartl. 1992. Prevention of protein denaturation under heat stress by the chaperonin Hsp60. Science 258: 995-998.

Morimoto, R. I. 1993. Cells in stress: transcriptional activation of heat shock genes. Science 259: 1409-1410. (A review of the current proposed model)

Sanchez, Y. and S. L. Lindquist. 1990. HSP104 required for induced thermotolerance. Science 248: 1112-1115.

Sanders, B. M., C. Hope, V. M. Pascoe, and L. S. Martin. 1991. Characterization of the stress protein response in two species of *Collisella* limpets with different temperature tolerances. Physiol. Zool. 64: 1471-1489.

### **Cold Death, Freezing Tolerance and Resistance:**

DeVries, A. L. 1971. Glycoproteins as biological antifreeze agents in Antarctic fishes. Science 172: 1152-1155.

DeVries, A. L. 1983. Antifreeze peptides and glycopeptides in cold-water fishes. Ann. Rev. Physiol. 45: 245-260.

DeVries, A. L. and Wohlschlag, D. E. 1969. Freezing resistance in some Antarctic fishes. Science 163: 1073-1075.

## Biology 403 - LITERATURE REFERENCES – W '09

- Eastman, J. T. and A. L. DeVries. 1986. Antarctic fishes. *Sci. Amer.* 255: 106-114. (Nov. 1986)
- Kanwisher, J. 1955. Freezing in intertidal animals. *Biol. Bull.* 109: 56-63.
- Murphy, D. J. 1983. Freezing resistance in intertidal invertebrates. *Ann. Rev. Physiol.* 45: 289-299.
- Storey, K. B. and J. M. Storey. 1990. Frozen and alive. *Sci. Amer.* 263: 92-97 (Dec. 1990).
- Storey, K. B. and J. M. Storey. 1996. Natural freezing survival in animals. *Annu. Rev. Ecol. Syst.* 27: 365-386.
- Williams, R. J. 1970. Freezing tolerance in *Mytilus edulis*. *Comp. Biochem. Physiol.* 35: 145-161.

### Capacity Adaptations to Temperature:

- Clarke, A. and N.M. Johnston. 1999. Scaling of metabolic rate with body mass and temperature in teleost fish. *J. Anim. Ecol.* 68: 893-905.
- Levinton, J. S. 1983. The latitudinal compensation hypothesis: growth data and a model of latitudinal growth differentiation based upon energy budgets. I. Interspecific comparison of *Ophryotrocha* (Polychaeta: Dorvilleidae). *Biol. Bull.* 165: 686-698.
- Newell, R. C. 1969. Effect of fluctuations in temperature on the metabolism of intertidal invertebrates. *Amer. Zool.* 9: 293-307.
- Scholander, P. F., W. Flagg, V. Walters, and L. Irving. 1953. Climatic adaptation in arctic and tropical poikilotherms. *Physiol. Zool.* 26: 67-92.
- Steffensen, J.F. 2002. Metabolic cold adaptation of polar fish based on measurements of aerobic oxygen consumption: fact or artefact? *Artefact! Comp. Biochem. Physiol.* 132A:789-795.
- Vernberg, F. J. 1959. Studies on the physiological variation between tropical and temperate zone fiddler crabs of the genus *Uca*. III. the influence of temperature acclimation on oxygen consumption of whole organisms. *Biol. Bull.* 117: 582-593.

### Biochemical Adaptations to Temperature:

- Baldwin, J. and P. W. Hochachka. 1970. Functional significance of isoenzymes in thermal acclimatization: acetylcholinesterase from trout brain. *Biochem. J.* 116: 883-887.
- Cossins, A. R., M. J. Friedlander, and C. L. Prosser. 1977. Correlations between behavioral temperature adaptations of goldfish and the viscosity and fatty acid composition of their synaptic membranes. *J. Comp. Physiol.* 120: 109-121.
- Crawford, D.L. and D.A. Powers. 1989. Molecular basis of evolutionary adaptation at the lactate dehydrogenase-B locus in the fish *Fundulus heteroclitus*. *Proc. Natl. Acad. Sci. USA* 86: 9365-9369.
- Crawford, D.L. and D.A. Powers. 1992. Evolutionary adaptation to different thermal environments via transcriptional regulation. *Mol. Biol. Evol.* 9: 806-813.

## Biology 403 - LITERATURE REFERENCES – W '09

- Fields, P.A. Review: protein function at thermal extremes: balancing stability and flexibility. *Comp. Biochem. Physiol.* 129A: 417-431.
- Hazel, J. R. 1972. The effect of temperature acclimation upon succinic dehydrogenase activity from the epaxial muscle of the common goldfish (*Carassius auratus* L.)-II. Lipid reactivation of the soluble enzyme. *Comp. Biochem. Physiol.* 43B: 863-882.
- Pierce, V.A. and D.L. Crawford. 1996. Variation in the glycolytic pathway: the role of evolutionary and physiological processes. *Physiol. Zool.* 69: 489-508.
- Place, A.R. and D.A. Powers. 1979. Genetic variation and relative catalytic efficiencies: Lactate dehydrogenase B allozymes of *Fundulus heteroclitus*. *Proc. Natl. Acad. Sci. USA* 76: 2354-2358.
- Somero, G. N. 1995. Proteins and temperature. *Annu. Rev. Physiol.* 57: 43-68.

### **Control of Body Temperature in Lower Animals:**

- Carey, F. G. and J. M. Teal. 1969. Regulation of body temperature by the Bluefin tuna. *Comp. Biochem. Physiol.* 28: 205-213.
- Carey, F. G. and J. M. Teal. 1969. Mako and Porbeagle: warm-bodied sharks. *Comp. Biochem. Physiol.* 28: 199-204.
- Heinrich, B. 1987. Thermoregulation in winter moths. *Sci. Amer.* 256: 104-111 (March 1987).

### **Osmotic and Ionic Regulation:**

- Chu, K.H. 1987. Sodium transport across the perfused midgut and hindgut of the Blue crab, *Callinectes sapidus*: the possible role of the gut in crustacean osmoregulation. *Comp. Biochem. Physiol.* 87A: 21-25.
- Cornell, J. C. 1979. Salt and water balance in two marine spider crabs, *Libinia emarginata* and *Pugettia producta*. II. apparent water permeability. *Biol. Bull.* 157:422-433.
- Corotto, F.S. and C.W. Holliday. 1996. Branchial Na, K-ATPase and osmoregulation in the purple shore crab, *Hemigrapsus nudus* (Dana). *Comp. Biochem. Physiol.* 113A: 361-368.
- Dehnel, P. 1962. Aspects of osmoregulation in two species of intertidal crabs. *Biol. Bull.* 122: 208-227.
- Diamond, J. M. 1971. Water-solute coupling and ion selective epithelia. *Phil. Trans. Roy. Soc. B* 262: 141-151.
- Eddy, F. B. 1982. Osmotic and ionic regulation in captive fish with particular reference to salmonids. *Comp. Biochem. Physiol.* 73B: 125-141.
- Epstein, F., P. Silva, and G. Kormanik. 1980. Role of Na-K ATPase in chloride cell function. *Amer. J. Physiol. (Reg. Integ. Comp. Physiol.)* 7: R246-R250.
- Freel, R.W. 1978. Patterns of water and solute regulation in the muscle fibers of osmoconforming marine decapod crustaceans. *J. Exp. Biol.* 72: 107-126.

## Biology 403 - LITERATURE REFERENCES – W '09

- Girard, J. P. and P. Payan. 1980. Ion exchanges through respiratory and chloride cells in freshwater- and seawater-adapted teleosts. *Amer. J. Physiol.* 7: R260-R268.
- Goss, G.G., Perry, S.F., Fryer, J.N., and Laurent, P. 1998. Gill morphology and acid-base regulation in freshwater fishes. *Comp. Biochem. Physiol.* 119A:107-115.
- Gross, W.J. 1957. An analysis of response to osmotic stress in selected decapod crustaceans. *Biol. Bull.* 112:43-61.
- Herreid, C. 1969. Integument permeability of crabs and adaptation to land. *Comp. Biochem. Physiol.* 29: 423-430.
- Lin, H.-C., Y.-C. Su and S.-H. Su. 2002. A comparative study of osmoregulation in four Fiddler crabs (*Ocyrodidae: Uca*). *Zool. Sci.* 19: 643-650.
- Lockwood, A.P.M. 1976. Physiological adaptation to life in estuaries. Ch 6 p315-392 in Newell, R.C. (ed.) *Adaptation to environment: Essays on the physiology of marine animals.* Butterworths, London. (book on reserve in Wilson Library)
- Sardet, C. 1980. Freeze fracture of the gill epithelium of euryhaline teleost fish. *Amer. J. Physiol.* (Reg. Integ. Comp. Physiol.) 7: R207-R212.
- Shehadeh, Z. and M. Gordon. 1969. The role of the intestine in salinity adaptation of the rainbow trout, *Salmo gairdneri*. *Comp. Biochem. Physiol.* 30: 397-418.
- Thurman, C. 2003. Osmoregulation by six species of fiddler crabs (*Uca*) from the Mississippi delta area in the northern Gulf of Mexico. *J. Exp. Mar. Biol. Ecol.* 291: 233-253.
- Utida, S., M. Kamiya and N. Shirai. 1971. Relationship between the activity of Na<sup>+</sup>-K<sup>+</sup> activated adenosine triphosphatase and the number of chloride cells in eel gills with special reference to sea-water adaptation. *Comp. Biochem. Physiol.* 38A: 443-447.
- Whiteley, N.M., J.L. Scott, S.J. Breeze, and L. McCann. 2001. Effects of water salinity on acid-base balance in decapod crustaceans. *J. Exp. Biol.* 204:1003-1011.

### **Volume Regulation:**

- Deaton, L. E., T. J. Hilbish, and R. K. Koehn. 1984. Protein as a source of amino nitrogen during hyperosmotic volume regulation in the mussel *Mytilus edulis*. *Physiol. Zool.* 57: 609-619.
- Hulbert, W. C., D. E. Schneider, and T. Moon. 1976. Temperature and salinity adaptation in the purple shore crab *Hemigrapsus nudus*: an in vitro metabolic flux study with excised gills. *Mar. Biol.* 36: 223-231.
- Koehn, R. K. and T. J. Hilbish. 1987. The adaptive importance of genetic variation. *Amer. Sci.* 75: 134-141.
- Pierce, S. K. 1971. A source of solute for volume regulation in marine mussels. *Comp. Biochem. Physiol.* 38A: 619-635.

### **Terrestrial Adaptations:**

## Biology 403 - LITERATURE REFERENCES – W '09

Bentley, P. J. 1966. Adaptations of amphibia to arid environments. *Science* 152: 619-623.

Machin, J. 1981. Water compartmentalisation in insects. *J. Exp. Zool.* 215: 327-333.

### **Metabolic Responses to Hypoxia:**

Boutilier R. G., G. Dobson, U. Hoeger, and D. J. Randall. 1988. Acute exposure to graded levels of hypoxia in rainbow trout (*Salmo gairdneri*): metabolic and respiratory adaptations. *Resp. Physiol.* 71: 69-82.

Hughes, G. M. 1973. Respiratory responses to hypoxia in fish. *Amer. Zool.* 13: 475-489.

Quinn, T. and D. E. Schneider. 1991. Respiration of the teleost fish *Ammodytes hexapterus* in relation to its burrowing behavior. *Comp. Biochem. Physiol.* 98A: 71-75.

Lomholt, J. P. and K. Johansen. 1979. Hypoxia acclimation in carp - how it affects O<sub>2</sub> uptake, ventilation, and O<sub>2</sub> extraction from water. *Physiol. Zool.* 52: 38-49.

### **Background Information on Experimental Species**

Byers, J.E. 2002. Physical habitat attribute mediates biotic resistance to non-indigenous species invasion. *Oecologia.* 130: 146-156 (for *Nuttalia obscurata*)

Morris, R.H., D.P. Abbott and E.C. Haderlie. 1980. *Intertidal Invertebrates of California*. Stanford University Press, Stanford, CA, USA.